

USE: FOR MAIN TRUSS
 2L - 3" x 3" x 1/4" TOP CHORD & BOTTOM CHORD

MEMBERS:
 1 = 2L-2 1/2" x 2 1/2" x 1/4" KING POST
 2 = 2L-2" x 2" x 1/4" DIAGONAL & VERTICAL MEMBERS

ROOF:
 GA. #24 PREPAINTED RIB TYPE LONG SPAN

PURLINS:
 GA #15X50x150 G.I C-PURLIN SP. @600mm O.C









SAG ROD:
 12mmØ SAG ROD

GUSSET PLATE: 3/16" THK.

4 - 5/8"x8"x2" ANCHOR BOLTS w/ NUT & WASHER

MAIN TRUSS DETAILS

SCALE N.T.S.



REPUBLIC OF THE PHILIPPINES
 DEPARTMENT OF AGRICULTURE

**NATIONAL MEAT
 INSPECTION SERVICE**

PREPARED BY:

ENGR. SUKOR G. MACALAO
 ENGINEERING STAFF

LIC. NO. : 0145248

PTR NO. : 6636502

DATE ISSUED: 1/02/2020

ISSUED AT: QUEZON CITY

TIN: 488-342-805

PROJECT TITLE:

**PROPOSED CONSTRUCTION
 OF 2-STOREY NMIS RTOC VIII
 ADMINISTRATIVE BUILDING**

LOCATION: Government Center, Pawing, Palo, Leyte

NOTED BY:

ENGR. JON KNOX KASEY R. TKEL
 ENGINEER III, HEAD - ENGINEERING SECTION

RECOMMENDING APPROVAL:

DR. KENNEDY S. SUNICO
 RTD, NMIS RTOC VIII

APPROVED BY:

DR. REILDRIN G. MORALES
 EXECUTIVE DIRECTOR

SHEET CONTENTS:

AS SHOWN

S
 17/20